

REPORT DOCUMENTATION

AFRL-SR-BL-TR-98-

0564

m Approved
Vo. 0704-0188

Public reporting burden for this collection of information is estimated to average gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden, to West Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Project, Washington, DC 20503.

searching existing data sources, make or any other aspect of this ns and Reports, 1215 Jefferson Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 4/2/98		3. REPORT TYPE AND DATES COVERED Final Technical Report 1 Aug 94 to 31 Dec 97	
4. TITLE AND SUBTITLE Innovative Scaling Laws for Study of Nonlinear Aeroelastic and Aeroservoelastic Problems				5. FUNDING NUMBERS F49620-94-1-0400	
6. AUTHOR(S) Professor Peretz P. Friedmann					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mechanical and Aerospace Engineering Dept. University of California 48-121 Engineering IV, Box 951597 420 Westwood Plaza Los Angeles, CA 90095-1597				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NA 110 Duncan Avenue, Suite B115 Bolling AFB, DC 20332-8050				10. SPONSORING/MONITORING AGENCY REPORT NUMBER F49620-94-1-0400	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution unlimited.				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Developments in adaptive materials (or smart structures) have led to their use for actuators in aeroservoelastic applications. Tests demonstrating feasibility of adaptive materials based actuation have been conducted on small geometrically scaled models, and aeroelastic scaling has been disregarded. The primary objectives of our research activity were: (1) development of innovative aeroelastic scaling laws for aeroservoelastic and nonlinear aeroelastic problems, which allow one to extrapolate results, obtained from model tests to the full-scale configuration, and (2) application of the scaling laws to configurations illustrating difference between geometric and aeroelastic scaling. The primary accomplishments were: (1) development of a novel two pronged approach for generating innovative aeroelastic scaling laws for nonlinear aeroelastic and aeroservoelastic problems, and (2) developed scaling laws for flutter suppression in subsonic and transonic flow. In addition to conventional scaling parameters these requirements also address the sealing of control hinge moments and power required for flutter suppression. The research described has made an important contribution to the state-of-the-art.					
14. SUBJECT TERMS				15. NUMBER OF PAGES 5	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL		

FINAL REPORT ON AFOSR GRANT F49620-94-1-0400


DATE: 4/2/98

Title: Innovative Scaling Laws for Study of nonlinear Aeroelastic and Aeroservoelastic Problems.

Period: 8/1/94-12/31/97

Amount: \$185,525

**Grant Monitor: Major Brian Sanders, Ph. D.
AFOSR /NA
110 Duncan Ave. Room B115
Bolling, AFB, DC 20332-8050
Phone: 202-767-6963**



**Principal Investigator: Professor Peretz P. Friedmann
University of California
48-121 Eng IV, MAE Dept
Box 951597
Los Angeles, CA 90095-1597
Phone 310-825-6041**

BACKGROUND AND OBJECTIVES

Recent advances in the area of adaptive materials (or smart structures), have led to the use of such materials as actuators for aeroservoelastic applications. The attractiveness of such materials is their potential for introducing continuous structural deformation of the lifting surface that can be exploited to manipulate the unsteady aerodynamic loads and prevent undesirable aeroelastic effects such as flutter. While the potential of piezoelectric actuators for aeroservoelastic applications is substantial, major limitations on their stroke and force producing capabilities exist. Therefore, tests demonstrating feasibility of adaptive materials based actuation have been conducted on small geometrically scaled models in incompressible flow. In these tests aeroelastic scaling has been disregarded and the question of how one would scale such actuators for different sized models, or actual full scale configurations has been has not been carefully addressed. Furthermore it should be noted that research on aeroelastic scaling has focused primarily on flutter or aeroelastic stability and practically no research on nonlinear problems or aeroservoelastic applications exists.

The primary objectives of our research activity were:


- Development of innovative aeroelastic scaling laws for aeroservoelastic and nonlinear aeroelastic problems, which allow one to extrapolate results, obtained from model tests to the full-scale configuration.
- Principal emphasis was on aeroservoelastic applications where scaling of hinge moments, control forces and control power required for flutter suppression (using both adaptive materials based actuation, as well as conventional control surfaces) is important.
- Application of the scaling laws to configurations illustrating difference between geometric and aeroelastic scaling. Use of scaling relations to illustrate equivalence

19980813 005

between conventional trailing edge flap actuation and bend/twist coupling based piezoelectric actuation.

APPROACH

A novel two pronged approach for establishing scaling laws has been developed. In this approach, illustrated in the figure provided bellow, basic aeroelastic scaling



Schematic diagram depicting two pronged approach for generating innovative scaling laws

parameters are established using the conventional approach consisting of a typical cross sectional aeroelastic analysis combined with dimensional analysis, as illustrated in the left hand side of the figure.

In parallel refined solutions, or simulation codes, are developed for each aeroelastic or aeroservoelastic problem for which innovative scaling laws are desired. Results obtained from such simulations play the role of "similarity solutions", in the context of similarity theory. These results provide new information on the scaling requirements of actuation forces and moments needed for flutter suppression as well as power requirements for flutter suppression. The right hand branch of the figure above illustrates the scaling information obtained from the computer simulations. Combination of the classical similarity parameters obtained from the left-hand branch, with those obtained from the

right-hand branch yield the final comprehensive aeroelastic scaling requirements for the problem.

RESULTS

The approach described above has been applied to a number of aeroservoelastic problems and has resulted in a total of six publications listed in the final section of this concise report, which also serves as a list of References.

The **first problem** considered was the adaptive control of aeroelastic instabilities in transonic flow and its scaling. A two dimensional typical cross-section in inviscid transonic flow was considered. The unsteady aerodynamic loads were obtained from the exact solution of the Euler equations. The digital adaptive control law, based on an ARMA model, was implemented using a trailing edge flap. Active flutter suppression in, presence in presence of nonlinear aeroelastic phenomena, was demonstrated, at velocities 20% above the flutter speed. Aeroelastic scaling requirements governing actuator hinge moment and control power were established. This research was documented in Refs. 1 and 2.

The **second problem** considered was the flutter suppression of a typical cross-section in subsonic compressible flow, using time domain aerodynamics and a trailing edge control surface. The control law was obtained from LQR approach with full state feedback. With practical limits implemented on the magnitude and rate of the control deflection, combined with appropriate disturbances, flutter suppression at 10% above the flutter speed was obtained. Further increases in flutter speed caused control surface saturation. Saturation of the control surfaces, causes the system to become nonlinear, and control techniques such as LQR fail, preventing further increases in velocity. This saturation problem represents a significant obstacle to flutter suppression since current techniques in adaptive and nonlinear control theory can not deal effectively with this situation. Basic aeroelastic scaling laws for this problem were also obtained, together with the requirements for scaling hinge moment and power needed for flutter suppression. It was also shown that geometric scaling leads to the violation of aeroelastic scaling requirements. This research was documented in Refs. 3-6.

The **third problem** considered was the development of equivalence relation between flutter suppression on a two dimensional section using and actively controlled trailing edge flap and piezoelectric actuation utilizing bend twist coupling in a three dimensional wing. It was shown that piezoelectric actuation requires almost an order of magnitude more power than the actively controlled wing.

ACCOMPLISHMENTS

The primary accomplishments of this research are listed below.

- Developed a novel two pronged approach for generating innovative aeroelastic scaling laws for nonlinear aeroelastic and aeroservoelastic problems. This approach has re-cast the subject of aeroelastic scaling in the framework of modern aeroelasticity. This approach is general and can be applied to any aeroelastic problem. The classical approach, that has remained unchanged during the last 35 years, has been superceded by the new approach, and thus the current research has made an important contribution to modern aeroelasticity.
- Scaling laws for flutter suppression in transonic flow, in presence of moving shock waves, have been developed. In addition to conventional scaling parameters these requirements also address the scaling of control hinge moments and power required for flutter suppression.
- A similar treatment of the flutter suppression in subsonic compressible flow has identified saturation, and its treatment as a major hurdle in flutter suppression. Previous researchers in aeroservoelasticity overlooked the precise severity of this problem. It was also shown that geometric scaling results in serious violations of the aeroservoelastic scaling requirements.
- Power requirements of piezoelectric actuation, based on bend-twist coupling, for flutter suppression in subsonic flow are considerably higher than those needed for flutter suppression using an actively controlled trailing edge flap.
- In the course of this research one M.S. student (D. Guillot) and one Ph. D. student have completed their degrees.

LIST OF PUBLICATIONS PRODUCED UNDER THE GRANT (References)

1. Friedmann, P. P., Guillot, D. and Presente, E. H., "Adaptive Control of Aeroelastic Instabilities in Transonic Flow and Its Scaling," AIAA Paper

97-0581, 35th Aerospace Sciences Meeting and Exhibit, January 6-10, 1997, Reno, NV.

2. Friedmann, P. P., Guillot, D. and Presente, E. H., "Adaptive Control of Aeroelastic Instabilities in Transonic Flow and Its Scaling," Journal of Guidance, Control, and Dynamics, Vol. 20., No. 6, November-December 1997, pp. 1190-1199.
3. Presente, E. H., and Friedmann, P. P., "Aerosevoelasticity in Subsonic Flow and Associated Scaling Laws," AIAA Paper 97-1079, Proceedings of the 38th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference, April 7-10, 1997, Kissimmee, FL., pp. 190-202.
4. Friedmann, P. P., "The Renaissance of Aeroelasticity and Its Future," Proceedings of the International Symposium on Aeroelasticity and Structural Dynamics, June 17-20, 1997, Rome, Italy, Vol. I, Plenary Lectures, pp. 19-49.
5. Presente, E. H., and Friedmann, P. P., "Aerosevoelasticity in Compressible Flow and Aeroelastic Scaling Laws," Proceedings of the 4th International Symposium on Fluid-Structure Interactions, Aeroelasticity, Flow-induced Vibration and Noise, Vol. III, (P. P. Friedmann and M. P. Paidoussis, Editors), AD-Vol. 53-3, ASME International Mechanical Engineering Congress and Exposition, Nov. 16-21, 1997, Dallas, TX., pp. 105-119.
6. Presente, E. H., and Friedmann, P. P., "Aerosevoelasticity in Compressible Flow and Its Scaling Laws," AIAA Paper 98-1899, Proceedings of the 39th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference, April 20-23, 1998, Long Beach, CA., pp. 1705-1720.